

59-1 SAN CHIA, JEN TE, TAINAN COUNTY, TAIWAN. TEL: 886-6-266-5000 FAX: 886-6-266-5555~7

# Material Safety Data Sheet

*September 13, 2011 V1W* 

**Product Name**: **Kibisan** PN-117-L100 PN-117-L200 PN-117C

PN-127-L100 PN-127-L150 PN-127-L200 PN-127B PN-127F PN-127H

PN-137H

1.COMPANY IDENTIFICATION

Company Chi Mei Corporation

Address 59-1, San Chia, Jen Te Village, Tainan County, Taiwan, ROC. Information Phone No. 886-6-2663000 Ext.1361 (Market & Business Development) Emergency Phone No. 886-6-2663000 Ext.1361 (Market & Business Development)

Fax No. 886-6-2667981

**2.COMPOSITION / INFORMATION ON INGREDIENTS** 

Substance or Preparation Substance

Chemical Name Acrylonitrile-Styrene Copolymer

Content >99% (Additives  $\leq 1\%$ )

Formula (C3H3N,C8H8)x CAS No. 9003-54-7 Impurities Contributing to Hazard None

3.HAZARD IDENTIFICATION

Most Important Hazards
Adverse Human Health Effects
Environmental Effects
None
Physical and Chemical Hazards
None

**4.FIRST AID MEASURES** 

In case of gases evolving from melted resin, move subject to fresh air.

Treat symptomatically.

Skin Contact In case of pellets or powder, wash with water.

In case of melt, wash affected skin area and clothing with plenty of (soap and) water.

Seek medical advice.

Eye Contact In case of pellets or powder, flush with plenty of water for at least 15 minutes.

Seek medical advice if any dust particles still remain.

In case of gases evolving from melted resin of high temperature, flush with plenty of

water for at least 15 minutes. Seek medical advice if necessary.

Ingestion Induce vomiting. Rinse mouth with water. Seek medical advice if necessary.

**5.FIRE-FIGHTING MEASURES** 

Extinguishing Media Water, Foam, Dry chemical powder Special Fire-Fighting Procedure Self contained breathing apparatus

Fire and Explosion Hazards None

**6.ACCIDENTAL RELEASE MEASURES** 

Methods for Cleaning up Recovery if not contaminated or Disposal

Personal Precautions Pellets or powder remained on ground may cause slipping

Environmental Precautions Gather pellets and powder thoroughly to avoid birds or fishes taking from

draining water.

7.HANDLING AND STORAGE

Handling Prevent from fire around handling area. Maintain good housekeeping standards to prevent

accumulation of dust. To avoid dust explosion resulting from the existence of powder, electrostatics eliminators and grounding should be fixed to such equipment as air transferring

pipes, bag filters and hoppers. Use electrically conductive filters for bag filters.

Storage Keep the materials at a cool dry place. Protect from direct sunlight, rain and violent

temperature fluctuation. Fire is inhibited around storage area.

59-1 SAN CHIA, JEN TE, TAINAN COUNTY, TAIWAN. TEL: 886-6-266-5000 FAX: 886-6-266-5555~7

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Threshold Limit Value Not determined

Ventilation Necessary to exclude dust, fumes and gases.

Personal Protection Eye Wear safety glasses for general purpose. Wear chemical goggles

for cleaning molding machines.

Respiratory Wear masks for cleaning molding machines.

Gloves Necessary for handling melted resin.

## 9.PHYSICAL and CHEMICAL PROPERTIES

Physical form Pellets

Odor Very slight sweet aromatic

Odor threshold
pH
Not Applicable
Boiling point
Melting/Freezing point
Softening point
Not Applicable
See Softening Point
93~110 C (200~230 F)

Solubility in water Insoluble

Solubility (non aqueous) Benzene, Acetone, Methyl Ethyl Ketone(MEK), and

Dimethyl formamide (DMF)

Specific gravity

Bulk density

Approx. 1.06 kg/m<sup>3</sup>

Approx. 300-450 kg/m<sup>3</sup>

% Volatile by weight Negligible

Evaporation rate Negligible (Butyl acetate=1)

Vapor pressure Negligible

Vapor density Negligible (Air=1)

# **10.STABILITY AND REACTIVITY**

Stability This is a stable material

Hazardous polymerization Will not occur Incompatibilities None known Instability conditions None known

Decomposition temperature Begins at approx. 260 C (500 F)

Decomposition products By fire or thermal decomposition: carbon dioxide, Carbon monoxide,

hydrocarbons, hydrogen cyanide, nitrogen oxides and some original

monomers such as styrene and acrylonitrile.

# 11.TOXICOLOGICAL INFORMATION

Irritation Fumes or vapors generated from decomposing resin may

be irritant to eyes.

Acute oral toxicity (LD50) Not determined Mutagenicity Not determined

#### 12.ECOLOGICAL INFORMATION

To avoid being taken by ocean species or birds, disposal of the waste to the ocean and water sources is inhibited.

# 13.DISPOSAL CONSIDERATIONS

Controlled incineration or landfill according to local, state or national laws and regulations concerning health and pollution.

Inadequate incineration may generate toxic gases such as CO and SM.

## 14. TRANSPORT INFORMATION

Not classified

# 15.REGULATORY INFORMATION

Not available

## **16.OTHER INFORMATION**

None